

H7 HYU 10 SANTA FE Technical, Specifications and Pricing Ast and

SANTA FE

Technical

PORTRANIndexIndexInstanceInstanceInstanceInstanceInstanceInstanceNachInstanceI	1.6T 215PS Hybrid 2WD		1.6T 215PS Hybrid 4WD	1.6T 253PS Plug-in Hybrid 4WD		
<table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container>	POWERTRAIN					
NewNo.No.No.Diplement (c)10.1.5.8.01.5.8.0Diplement (c)10.5.5.4.9.01.5.8.01.5.8.0Des & Store (m)10.0.5.0.010.0.5.0.010.0.0.0Displement (c)10.0.5.0.0.010.0.0.0.010.0.0.0Displement (c)10.0.5.0.0.0.010.0.0.0.0.010.0.0.0.0Displement (c)20.0.2.0.2.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	Euro Status	EURO 6E	EURO 6E	EURO 6E		
Deparement (c)1,581,581,58Boek Struct (min)G. K. S. S. B. B.G. K. S. S. B.G. K. S. S. B.Compression RiskG. M. D. S.G. K. S. S. B.G. S.	Туре	4 Cylinder DOHC	4 Cylinder DOHC	4 Cylinder DOHC		
bestable9.0.5.6.9.99.0.7.5.6.9.99.0.7.5.6.9.9Compain Naio0.0.0.1.0.6.9.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	Valve	16	16	16		
<table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container>	Displacement (cc)	1,598	1,598	1,598		
Markower(PSMM)100/17.6 g500 pm100/17.6 g500 pm0.060 / 100 /	Bore & Stroke (mm)	75.6 x 89	75.6 x 89	75.6 x 89		
NamedescriptiondescriptiondescriptionHarbinizationHarbinizationMarbinizationAnalysing Stand Stan	Compression Ratio	10.5	10.5	10.5		
HRID SYSTEMControlMax Hydrid System RowordputtG.215/158.(FSA,WGG.257/16.(FSA,WGMax Hydrid System Rowordputt (Min/Bit)G.257/16.(FSA,WGG.257/16.(FSA,WGMax Hydrid System Rowordputt (Min/Bit)G.257/16.(FSA,WGG.257/16.(FSA,WGOrdputt Roword Roword (Min/Bit)G.257/16.(FSA,WGG.257/16.(FSA,WGOrdputt Roword (Min/Bit)G.267/20.(FSA,WGG.267/20.(FSA,WGTo Stee (Min/Bit)G.267/20.(FSA,WGG.267/20.(FSA,WGStee (Min/Bit)G.257/20.(FSA,WGG.267/20.(FSA,WGStee (Min/Bit)G.257/20.(FSA,WGG.267/20.(FSA,WGStee (Min/Bit)G.257/20.(FSA,WGG.267/20.(FSA,WGStee (Min/Bit)G.267/20.(FSA,WGG.267/20.(FSA,WGStee (Min/Bit)G.267/20.(FSA,WGG.267/20.(FSA,WGStee (Min/Bit)G.267/20.(FSA,WGG.267/20.(FSA,WGStee (Min/Bit)G.267/20.(FSA,WGG.267/20.(FSA,WGStee (Max Power (PS/kW)	160 / 117.6 @ 5500 rpm	160 / 117.6 @ 5500 rpm	160 / 117.6 @ 5500 rpm		
Mak Hydrid Marchan2015/03/00/Ma (2015/03/04/04)2015/03/04/04)Mak Hydrid Marchan303/2707/Marchan303/2707/MarchanMac Hydrid Marchan303/2707/Marchan303/2707/MarchanGrosped Conduct Marchan303/2707/Marchan303/2707/MarchanTorspeed Conduct Marchan303303/2707/MarchanTorspeed Conduct Marchan303303/2707/MarchanTorspeed Conduct Marchan303/2707/Marchan303/2707/MarchanTorspeed Conduct Marchan303/2707/Marchan303/2707/MarchanTorspeed Conduct Marchan303/2707/Marchan303/2707/MarchanTorspeed Conduct Marchan303/2707/Marchan303/2707/MarchanTorspeed Conduct Marchan303/2707/Marchan303/2707/MarchanRef303/2707/Marchan303/2707/MarchanRef303/2707/Marchan303/2707/MarchanRef303/2707/Marchan303/2707/MarchanRef303/2707/Marchan303/2707/MarchanRef303/2707/Marchan303/2707/MarchanRef303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Setter303/2001303/2001Sett	Torque (Nm/lbs ft)	265 / 27 @ 1500-3500 rpm	265 / 27 @ 1500-3500 rpm	265 / 27 @ 1500-3500 rpm		
<table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-row><table-row><table-row><table-row><table-row><table-container><table-container><table-container><table-container><table-row><table-row><table-row><table-row><table-row><table-row><table-row><table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-container></table-row></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container>	HYBRID SYSTEM					
Ó ôgniệ (néo cán)Ó ôg ôg ôgÓ ôg ôg ôg ôg ôgTorspect (néo cán)1212SUSPINON	Max Hybrid System Power Output	215/158.1(PS/kw)	215/158.1(PS/kw)	253/186.1(PS/kw)		
Top Speed (mgh)(12)(12)105 Speed (mgh)112112SternstorFindMcMerson StututMcMerson StututRar(McMattaliakMcMattaliakSternstorSystemStaf (MDPS)Sternstor<	Max Hybrid System Torque Output (Nm/lbs ft)	367/270.7(Nm/lbs ft)	367/270.7(Nm/lbs ft)	367/270.7(Nm/lbs ft)		
SUSPENSIONIndexIndexFirstIndexIndexIndexReadIndexIndexIndexReadIndexIndexIndexSternerIndexIndexIndexSystemIndexIndexIndexSternerIndexIndex	0-62mph (seconds)	9.6	9.8	9.3		
PrintMMPPerson StrutMMPPerson StrutMMPPPerson StrutRerGMMUILIAKGMMUILIAKGMMUILIAKSTERINGSystemGMMPPSGMMPPSSteing Wheel Lock Lot Lock TurnsGMMPARSGMMADSGMMADSTuring Circle (metres)GMMADSGMMADSGMMADSSystemStand Fond Stand S	Top Speed (mph)	112	112	112		
RerMultilikMultilikMultilikBeind MultilikSteind Worldok tok fursG.R.MDPSG.R.MDPSBeind Worldok tok fursG.R.MDPSG.R.MDPSTuring Circle (netros)G.R.MDPSG.R.MDPSBrand Circle (netros)G.R.MDPSG.R.MDPSSteind Worldok tok fursG.R.MDPSG.R.MDPSBrand Circle (netros)G.R.MDPSG.R.MDPSSystemSteind (netros)Steind (netros)FortG.R.MSCH (netros)Steind (netros)FortG.R.MSCH (netros)G.R.MORTPort Circle (netros)G.R.MORTG.R.MORTSystemG.R.MSCH (netros)G.R.MORTPort Circle (netros)G.R.MORTG.R.MORTPort Circle (netros)G.R.MORTG.R.MORTPort Circle (netros)G.R.MORTG.R.MORTPort Circle (netros)G.R.MORTG.R.MORTPort Circle (netros)G.R.MORTG.R.MORTPort Circle (netro)G.R.MORTG.R.MORTPort Circle (netro)G.R.MORTG.R.MOR	SUSPENSION					
STERINGSystemR-RMDPSR-RMDPSSystem (Model Color Star (Model Color Sta	Front	McPherson Strut	McPherson Strut	McPherson Strut		
SystemImage: Number of the systemSystem (Merce of the system)G.R.HDPSStering Wheel Lock TurusG.R.A.D.PSTuruing Circle (metres)G.R.H.D.STuruing Circle (metres)G.R.H.D.STuruing Circle (metres)G.R.B.R.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S	Rear	Multi Link	Multi Link	Multi Link		
Seeing Wheel Lock Turns1.2.53 (R-MDPS)1.2.53 (R-MDPS)2.2.53 (R-MDPS)Turning Circle (marks)11.611.611.6BarketBarketBard Fords System (marks)Sand Fords System (marks)Sand Fords System (marks)System (marks)Sand Fords System (marks)Sand Fords System (marks)Sand Fords System (marks)FordGastom Vertilated DiscGastom Vertilated DiscColspan="4">System (marks)Gastom Vertilated DiscColspan="4">Gastom Vertilated DiscGastom Vertilated DiscColspan="4">Colspan="4">Gastom Vertilated DiscGastom Vertilated DiscGastom Vertilated DiscColspan="4">Colspan="4">Gastom Vertilated DiscColspan="4">Colspan="4">Gastom Vertilated DiscColspan="4">Colsp	STEERING					
Turing Circle (metres)Image: Circle Circ	System	R-MDPS	R-MDPS	R-MDPS		
BARE System ABS and Front & Rear disc brake hydraulical yoperated by Dual Cross System ABS and Front & Rear disc brake hydraulical yoperated by Dual Cross System ABS and Front & Rear disc brake hydraulical yoperated by Dual Cross System ABS and Front & Rear disc brake hydraulical yoperated by Dual Cross System Front 325m Ventilated Disc	Steering Wheel Lock to Lock Turns	2.53 (R-MDPS)	2.53 (R-MDPS)	2.53 (R-MDPS)		
SystemAband Front & Rear disc brake hydraulical opperate hydraulical	Turning Circle (metres)	11.6	11.6	11.6		
SystemCross SystemCross SystemCross SystemFront325mn Ventilated Disc325mn Ventilated DiscRear325mn Ventilated Disc325mn Ventilated DiscDVERSIONSOveral Length (mn)48304830Overal Width (mn) (Including Door Mirrors)990 Veral Width (mn) (Including Door Mirrors)990 Veral Width (mn) (Including Door Mirrors)900 Veral Width (Mn) (Including Door Mirrors)9	BRAKE					
Rer325m Vetilated Disc325m Vetilated DiscDMENSIONSOveral Length (mm)48304830Overal Length (mm) (naluding Door Mirrors)48304830Overal Width (mm) (naluding Door Mirrors)91900Webbase (mm)628152815Veter Length (mm)1900 - 20301905 - 2095Veter Length (mm)1000 - 20301965 - 2095Payload (hg)600 - 2040600 - 2040600 - 2040Payload (hg)6600 - 2040600 - 2040Payload (hg)6600 - 2040600 - 2040Payload (hg)6666Payload (hg)666	System					
DIMENSIONSOveral Length (mm)483048304830Overal Vicht(hum) (Including Door Mirrors)190019001900Wheelbase (mm)281528152815VEIGET AND CAPACITY1900 - 20301900 - 20301965 - 2095Payload (kg)100 - 2030100 - 2030610 - 740580 - 710Gross Velight (kg)610 - 740610 - 74062675Marcow Velight (kg) - Braked110110110110	Front	325mm Ventilated Disc	325mm Ventilated Disc	325mm Ventilated Disc		
Óveral Length (mm)Á830Á830Á830Óveral Mich (mm) (holuding Door Mirrors)190019001900Webbase (mm)281528152815 VEIGHT AND CAPACITY Keb Weight (kg)1900 - 20301900 - 20301965 - 2095Fayload (kg)610 - 740610 - 740580 - 710Gross Vehice Weight (kg) - Braked110110110	Rear	325mm Ventilated Disc	325mm Ventilated Disc	325mm Ventilated Disc		
Overall Width (mm) (Including Door Mirrors) 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 1900 2815	DIMENSIONS					
Wheelbase (mm)281528152815WEIGHT AND CAPACITYKerb Weight (kg)1900 - 20301900 - 20301965 - 2095Payload (kg)610 - 740610 - 740580 - 710Gross Vehicle Weight (kg)264026402675Mar Tow Weight (kg) - Braked111011101110	Overall Length (mm)	4830	4830	4830		
WEIGHT AND CAPACITY Kerb Weight (kg) 1900 - 2030 1965 - 2095 Payload (kg) 610 - 740 610 - 740 580 - 710 Gross Vehicle Weight (kg) 2640 2640 2675 Max Tow Weight (kg) - Braked 1110 1110 1110	Overall Width (mm) (Including Door Mirrors)	1900	1900	1900		
Kerb Weight (kg) 1900 - 2030 1900 - 2030 1965 - 2095 Payload (kg) 610 - 740 610 - 740 580 - 710 Gross Vehicle Weight (kg) - Braked 2640 2640 2675 Max Tow Weight (kg) - Braked 1110 1110 1110	Wheelbase (mm)	2815	2815	2815		
Payload (kg) 610 - 740 610 - 740 610 - 740 580 - 710 Gross Vehicle Weight (kg) 2640 2640 2675 Max Tow Weight (kg) - Braked 1110 1110 1110	WEIGHT AND CAPACITY					
Gross Vehicle Weight (kg) 2640 2640 2675 Max Tow Weight (kg) - Braked 110 110 110	Kerb Weight (kg)			1965 - 2095		
Max Tow Weight (kg) - Braked 1110 1110 1110	Payload (kg)	610 - 740	610 - 740	580 - 710		
	Gross Vehicle Weight (kg)	2640	2640	2675		
		1110	1110	1110		
	Max Tow Weight (kg) - Unbraked	750	750	750		



Technical

Technical	1.6T 215PS Hybrid 2WD	1.6T 215PS Hybrid 4WD	1.6T 253PS Plug-in Hybrid 4WD		
WEIGHT AND CAPACITY - continued					
Max Roof Weight (kg)	100	100			
Fuel Tank Capacity (litre)	67	67	47		
Premium					
Front Tyre	255/45R20	255/45R20	255/45R20		
Rear Tyre	255/45R20	255/45R20	255/45R20		
Front Wheel	8.5J X 20	8.5J X 20	8.5J X 20		
Rear Wheel	8.5J X 20	8.5J X 20	8.5J X 20		
Overall Height (mm)	1780	1780	1780		
Luggage Capacity VDA (litres) - Seats Up	628	628	621		
Luggage Capacity VDA (litres) - Seats Down	1,949	1,949	1,942		
WLTP-Low Phase Fuel (I/100km)*	35.3 (8)	36.2 (7.8)	-		
WLTP-Mid Phase Fuel (I/100km)*	51.4 (5.5)	47.9 (5.9)	-		
WLTP-High Phase Fuel (I/100km)*	48.7 (5.8)	45.6 (6.2)	-		
WLTP-Extra High Phase Fuel (I/100km)*	34.9 (8.1)	31.7 (8.9)	-		
WLTP-Combined Fuel (I/100km)*	41.5 (6.8)	38.7 (7.3)	166 (1.7)		
WLTP-CO2 Emissions (g/km)*	155	165	38		
AER Electric Only Range	-	-	33.6		
Ultimate					
Front Tyre	255/45R20	255/45R20	255/45R20		
Rear Tyre	255/45R20	255/45R20	255/45R20		
Front Wheel	8.5J X 20	8.5J X 20	8.5J X 20		
Rear Wheel	8.5J X 20	8.5J X 20	8.5J X 20		
Overall Height (mm)	1780	1780	1780		
Luggage Capacity VDA (litres) - Seats Up	628	628	621		
Luggage Capacity VDA (litres) - Seats Down	1,949	1,949	1,942		
WLTP-Low Phase Fuel (I/100km)*	34.9 (8.1)	36.2 (7.8)	-		
WLTP-Mid Phase Fuel (I/100km)*	49.6 (5.7)	46.3 (6.1)	-		
WLTP-High Phase Fuel (I/100km)*	47.9 (5.9)	44.8 (6.3)	-		
WLTP-Extra High Phase Fuel (I/100km)*	34.4 (8.2)	30.7 (9.2)	-		
WLTP-Combined Fuel (I/100km)*	40.4 (7)	38.2 (7.4)	166 (1.7)		
WLTP-CO2 Emissions (g/km)*	158	168	38		
AER Electric Only Range	-	-	33.6		

SANTA FE

Technical

	1.6T 215PS Hybrid 2WD	1.6T 215PS Hybrid 4WD	1.6T 253PS Plug-in Hybrid 4WD		
Calligraphy					
Front Tyre	255/45R20	255/45R20	255/45R20		
Rear Tyre	255/45R20	255/45R20	255/45R20		
Front Wheel	8.5J X 20	8.5J X 20	8.5J X 20		
Rear Wheel	8.5J X 20	8.5J X 20	8.5J X 20		
Overall Height (mm)	1780	1780	1780		
Luggage Capacity VDA (litres) - Seats Up	628	628	621		
Luggage Capacity VDA (litres) - Seats Down	1,949	1,949	1,942		
WLTP-Low Phase Fuel (I/100km)*	34.9 (8.1)	36.2 (7.8)	-		
WLTP-Mid Phase Fuel (I/100km)*	49.6 (5.7)	46.3 (6.1)	-		
WLTP-High Phase Fuel (I/100km)*	47.9 (5.9)	44.8 (6.3)	-		
WLTP-Extra High Phase Fuel (I/100km)*	34.4 (8.2)	31.4 (9)	-		
WLTP-Combined Fuel (I/100km)*	40.4 (7)	38.2 (7.4)	166 (1.7)		
WLTP-CO2 Emissions (g/km)*	158	158 167			
AER ELectric Only Range	-	-	33.6		





Specifications	Premium	Ultimate	Calligraphy				
POWERTRAIN & TRANSMISSION							
1.6T 215PS Hybrid 2WD	•	•	•				
1.6T 215PS Hybrid 4WD	•	•	•				
1.6T 253PS Plug-in Hybrid 4WD	•	•	•				
EXTERIOR							
20" Black Alloy Wheels		-	•				
20" Silver Alloy Wheels	•	•	-				
Automatic Headlights with Dusk Sensor	•	•	•				
Black Finish Styling: Skid Plate, Fender Upper Garnish, Door Side Garnish, C/D Pillars, Rear Bumper Moulding & DLO	-	-	•				
Daytime Running Lights - LED	•	•	•				
Door Mirrors - Electric Adjustment and Heated with Power Folding Function	•	•	•				
Dynamic Welcome Light	٠	•	•				
Headlights & Taillights - LED	٠	•	٠				
Hidden C Pillar Assist Handle	-	-	•				
Positioning Lights - LED	٠	•	•				
Privacy Glass - Rear Windows and Tailgate	•	•	•				
Roof Rails	•	•	•				
Sunroof - Dual Glass Electric Tilt and Slide Front Glass (HEV Only)	-	•	•				
Temporary Mobility Kit	•	•	•				
Windscreen and Front Windows - Solar Glass	٠	•	•				
Windscreen with Acoustic Film	٠	•	•				
INTERIOR							
Interior Ambient LED Lighting - Multi-Colour	•	•	•				
Leather Wrapped Heated Steering Wheel	•	•	•				
Luggage Cover	•	•	•				
Luggage Hooks	•	•	•				
Luggage Net	•	•	•				
Sun Visors - with Driver and Passenger Illuminated Vanity Mirrors	•	•	•				
UV-C Compartment	-	-	•				

Specifications



Specifications			
	Premium	Ultimate	Calligraphy
COMFORT & CONVENIENCE			
12.3" Touchscreen Satellite Navigation including Bluelink connectivity (10 years LITE subscription, 3 years PLUS & 6 months free trial for PRO)**	•	•	•
2nd Row USB C Ports - x2 (Charging)	•	•	•
3rd Row USB C Ports - x2 (Charging)	•	•	•
Adjustable Regenerative Braking (Paddle Shifters)	•	•	•
Air Conditioning - Climate Control (Dual Zone)	•	•	•
Automatic Windscreen Wipers with Rain Sensor	•	•	•
BOSE Premium Sound System	-	•	•
Blind Spot Collision Avoidance Assist - Reverse (BCA-R). HEV/PHEV	S/P	•	•
Blind Spot View Monitor (BVM)	-	•	•
Charging Cable - Emergency 3 Pin Connector (ICCB) [PHEV only]	•	•	•
Charging Cable - 7 Pin Type 2 (Wallbox) [PHEV only]	•	•	•
Electronic Chromic Mirror	•	-	-
Digital Centre Mirror (DCM)		•	•
Drive Mode Selector	•	•	•
Driver's Supervision Instrument Cluster with 12.3" LCD Display	•	•	•
Forward Collision Avoidance Assist 1.5 (FCA 1.5)	•	-	-
Forward Collision Avoidance Assist 2 (FCA 2)	Р	•	•
Front Cup Holders - x2	•	•	•
Front USB C Ports - x1 (Charging/Data) x1 (Charging)	•	•	•
Head Up Display (HUD)	-	•	•
Highway Drive Assist (HDA)	•	-	-
Highway Drive Assist 2 (HDA 2)	Р	•	•
Immobiliser	•	•	•
Intelligent Speed Limit Assist (ISLA)	•	•	•
Lane Follow Assist 2 (LFA 2)	•	•	•
Lane Keep Assist (LKA)	•	•	•
Low Washer Fluid Warning	•	•	•



Specifications

	Premium	Ultimate	Calligraphy		
Navigation-Based Smart Adaptive Cruise Control with Stop & Go	•	•	•		
Over The Air (OTA) Software Updates***	•	•	•		
Parking Sensors - Front & Rear	•	-	-		
Parking Sensors - Front & Rear & Sides	-	•	•		
Rear Door Blinds - Manual	•	•	•		
Rear View Monitor (RVM)	•	-	-		
Remote Smart Park Assist (RSPA)	-	•	•		
Smart Key - Keyless Entry with Start/Stop Button	•	•	•		
Smart Power Tailgate (Height/Speed Adjustable)	•	•	•		
Steering Wheel Audio, Phone and Cruise Controls	•	•	•		
Surround View Monitor (SVM)	-	•	•		
Trailer Wiring Package	•	•	•		
Tyre Pressure Monitoring System (TPMS)	•	•	•		
Windscreen Auto Defog Function	•	•	٠		
Wireless Phone Charging (Dual)	-	•	•		
Wireless Phone Charging (Single)	•	-	-		
eCall	•	•	•		
SAFETY					
ABS+ ESC+ DBC+ HAC+ TSA	•	•	•		
Airbags - Front, Front Side, Curtain and Centre Front Airbags	•	•	•		
Childproof Rear Door Locks - Manual	•	•	•		
Driver Status Monitor	•	•	•		
Electric Parking Brake (EPB) with Autohold Function	•	•	•		
Parking Collision Avoidance Assist - Reverse (PCA-R)	-	•	•		
Self Levelling Suspension	•	•	•		
Shift by Wire Gear Selector (SBW)	•	•	•		
Steering Column - Height and Reach Electrically Adjustable		•	٠		
Steering Column - Height and Reach Manually Adjustable	•	-	-		



Specifications

	Premium	Ultimate	Calligraphy
SEATING			
2nd & 3rd Row Centre Armrest with Cupholder (7 Seats Only)	•	•	•
Driver's Seat 2-Way Electric Lumbar Support	-	•	٠
Driver's Seat Electric Lumbar Support	•	-	-
Front Seat Electric Adjustments	•	-	-
Front Seats - Heated	•	-	-
Driver's Seat Electric Lumbar Support	•	-	-
Electrically Adjustable Front Seats	•	-	-
Electrically Adjustable Front Seats with Driver Memory Seat Function	-	•	•
Front Seats - Heated	•	-	-
Front Seats - Ventilated	-	•	•
Front and Rear Seats - Heated	-	•	•
Premium Relaxation Seat - Front Seats	-	-	•
Rear Seats (Second Row) - Split Folding (60/40), Sliding and Reclining (7-Seater Only)	•	•	•
Rear Seats (Third Row) - Split Folding (50/50)	•	•	•
Seat Trim - Leather	•	•	-
Seat Trim - Napa Leather	-	-	•

KEY

** After the free 10-year Bluelink® LITE subscription period ends, access to Bluelink features will expire unless a paid subscription plan is selected. Users may choose to upgrade to a higher-tier subscription at any time before the expiration of the LITE free plan. *** With an eligible subscription plan of an active Bluelink subscription and 4G signal required.

Standard

- o Optional
- Not Available
- P Available as part of an optional Pack

SANTA FE Hybrid



Pricing - Effective from 1st April 2025.

TRIM	POWERTRAIN	CO ₂ EMISSIONS G/KM	INSURANCE GROUP (1-50)	VED FIRST YEAR COST	BASIC RETAIL	VAT	RETAIL PRICE	RECOMMENDED ON THE ROAD PRICE	P11D VALUE	BIK BAND	MONTHLY BIK PAYABLE AT 20%	MONTHLY BIK PAYABLE AT 40%
Premium	1.6T 215PS Hybrid 2WD	155	33P	£1,360	£38,125.00	£7,625.00	£45,750.00	£47,890.00	£46,475.00	36%	£278.85	£557.70
Premium	1.6T 215PS Hybrid 4WD	165	34P	£1,360	£39,837.50	£7,967.50	£47,805.00	£49,945.00	£48,530.00	37%	£299.27	£598.54
Ultimate	1.6T 215PS Hybrid 2WD	158	33P	£1,360	£41,041.67	£8,208.33	£49,250.00	£51,390.00	£49,975.00	36%	£299.85	£599.70
Utiliate	1.6T 215PS Hybrid 4WD	168	34P	£1,360	£42,754.17	£8,550.83	£51,305.00	£53,445.00	£52,030.00	37%	£320.85	£641.70
Callianaabu	1.6T 215PS Hybrid 2WD	159	33P	£1,360	£43,125.00	£8,625.00	£51,750.00	£53,890.00	£52,475.00	36%	£314.85	£629.70
Calligraphy	1.6T 215PS Hybrid 4WD	167	34P	£1,360	£44,837.50	£8,967.50	£53,805.00	£55,945.00	£54,530.00	37%	£336.27	£672.54

SANTA FE Plug-in Hybrid

Pricing - Effective from 1st April 2025.

TRIM	POWERTRAIN	CO ₂ EMISSIONS G/KM	INSURANCE GROUP (1-50)	VED FIRST YEAR COST	BASIC RETAIL	VAT	RETAIL PRICE	RECOMMENDED ON THE ROAD PRICE	P11D VALUE	BIK BAND	MONTHLY BIK PAYABLE AT 20%	MONTHLY BIK PAYABLE AT 40%
Premium	1.6T 253PS Plug-in Hybrid 4WD	38	36P	£110	£42,587.50	£8,517.50	£51,105.00	£51,995.00	£51,830.00	13%	£112.30	£224.60
Ultimate	1.6T 253PS Plug-in Hybrid 4WD	38	36P	£110	£45,295.83	£9,059.17	£54,355.00	£55,245.00	£55,080.00	13%	£119.34	£238.68
Calligraphy	1.6T 253PS Plug-in Hybrid 4WD	38	36P	£110	£47,379.17	£9,475.83	£56,855.00	£57,745.00	£57,580.00	13%	£124.76	£249.51

SANTA FE

Options & Packs

OPTIONAL EXTRAS	BASIC RETAIL PRICE	VAT	RETAIL PRICE
Metallic / Pearl All trims	£583.33	£116.67	£700.00
Special Pearl Paint (Cyber Sage, Olive Green, Pebble Blue) All trims	£750.00	£150.00	£900.00
Matt Paint All trims	£1,000.00	£200.00	£1,200.00
Digital Key Ultimate and Calligraphy only	£250.00	£50.00	£300.00
6 Seat Configurtion Calligraphy only	£833.33	£166.67	£1,000.00
SmartSense+ Pack HEV Premium	£416.67	£83.33	£500.00
SmartSense+ Pack PHEV Premium	£1,250.00	£250.00	£1,500.00